

Technical Specifications

Mobil-O-Graph® NG – The 24h ABPM

Measurement range	Systolic (SYS): 60 – 290 mmHg Diastolic (DIA): 30 – 195 mmHg
Accuracy	± 3 mmHg
Pressure range	0 to 300 mmHg
Pulse range	30 to 240 bpm
Measurement method	Oscillometric
Measurement protocols	<ul style="list-style-type: none">• 4 freely editable day/night intervals• Measurements per hour: 1, 2, 4, 5, 6, 10, 15, 20 or 30• Optional: automatic transfer of Blood Pressure values via GSM
Memory	300 measurements
Battery capacity	up to 300 measurements
Operating temperature range	+10 °C to +40 °C
Operating air humidity range	15% to 90%
Storage conditions	–20 °C to +50 °C temp and 15% to 90% humidity
Dimensions	128 x 75 x 30 mm
Weight	Approx. 240g including batteries
Power supply	2 IEM rechargeable Ni-MH batteries (1,2 V and min. 1700 mAh)
Interfaces	<ul style="list-style-type: none">• Serial port (cable) compatible for USB Emulation• Infrared• Bluetooth (Class 1/100m)

Powerful Product and Service Quality

- High measurement quality – clinically validated to ESH and BHS
- Made in Germany
- On-site instruction and installation

Analysis Software

Hypertension Management Software (HMS) Client Server

- Compatible with MacIntosh OS X 10.4 and higher, Linux and Windows 2000, XP, Vista, Windows 7 and Windows 8
- Communication via USB/ RS 232, Infrared or Bluetooth
- Optional: GDT, XML, HL7 interfaces and ehealth database synchronisation

Subject to change without notice.
Rev. 2.0
© by I.E.M. GmbH, Germany 2014

MOBIL O GRAPH®

New Generation 24h ABPM Classic

An innovative Hypertension Management Concept

... a huge leap forward!



24h ABP-CONTROL

24h ABP-CONTROL



I.E.M. GmbH | Cockerillstr. 69 | 52222 Stolberg, Germany
fon.: +49 2402-9500-0 | fax: +49 2402-9500-11 | email: service@iem.de | www.iem.de

Research, Development and Production – Made in Germany



MOBIL O GRAPH®

New Generation 24h ABPM Classic

Mobil-O-Graph® NG An innovative Hypertension Management Concept

- Unsurpassed patient comfort and acceptance by using the Auto-Feedback-Logic AFL*
- Easy handling in everyday office routine
- Analysis software and patient management

Best practice performance of manufacturer in service and support

- On-site orientation and installation
- Tailor-made service models
- Cost free support over telephone through trained IEM personnel and IEM cooperation partners

The Mobil-O-Graph® NG – The 24h ABPM Classic sets a new benchmark and opens new perspectives for clinics and MDs.

Unsurpassed patient comfort and acceptance by using the Auto-Feedback-Logic AFL*

- Significantly better night sleep for the patient through individualized inflation
- Gentle and fast measurement of blood pressure
- Maximum comfort thanks to correct-sized cuffs with ease of application

Easy handling in everyday office routine

- "Bluetooth" wireless, rapid read in/ read out between the monitor and the computer
- "Infrared" as the Classic Interface. One single Interface for 24h monitors and home devices
- Easy transfer of data via Infrared to the computer
- "Standard" – just use the standard cable, USB or serial

Analysis software and patient management

- Precise graphics, early morning rise analysis, comparison profiles for ambulatory and stationary data, threshold values for children – reports for physician interpretation and patient presentation
- Interface to EMR and HIS (GDT,XML,HL7)
- The analyzing software HMS CS enables you to build up an "Interventional Telemetric Clinic" for a better therapy management



Sleeping through the night without difficulty



*Literature:
Blood Pressure Monitoring 2005,
Vol 10 No 5 – Convenience of ambulatory blood
pressure monitoring: comparison of different devices